

# NavArAtlas



**2018-19 PRODUCTS**



### IP66

No ingress of dust; complete protection against dust and heavy seas or powerful jets of water



### 10G Vibration Test Passed

Designed and tested to pass 10G vibration for any power sports ride conditions



### Conformal Coated PCB

A transparent protective film is applied to surfaces of all interior printed circuit boards. This additional layer of defense guards against dust, condensation and corrosion - ensuring maximum longevity



### UV Resistant Construction

Made from rugged and UV resistant plastic to prevent from breaking down under direct sunlight



### Hardwired Full HD Dual DVR

Record and capture every single moment of your ride with Dual camera



### USB Input

Listen to your favorite MP3 music collection stored on a USB thumb drive



### RDS

Radio Data System lets you enjoy radio stations with song and station information



### 2.1A USB Charging Port

Charge your smartphone or tablet via the USB port




### Bluetooth®

Built-in Bluetooth™ connectivity for hands-free calling



### A2DP

Allows your music to be streamed wirelessly from your Bluetooth™ connected mobile device



### 4V Preamp Output

Allows for cleaner and stronger sound when connected to an external amplifier



### Off road Navigation Ready

ANBX1 required, sold separately



### 5V Preamp Output

Allows for cleaner and stronger sound when connected to an external amplifier

**DXP1000DVR IP66 7" Command Center for RZR**  
*with 2-Channel DVR and Two HD Digital Cameras, Built-in Bluetooth®*

*Custom Fit for Polaris RZR 900/ 1000 Turbo and Non-Turbo Models (2014 – Current)*



**FEATURES:**

**General**

- IP66 Rated: Protects against dust and water
- Shock Proof 10G Vibration Tested
- Conformal Coated PCB
- UV Resistant
- Hardwired Full HD 2CH DVR system (Includes 2 cameras)
- 7" Hi-Res TFT LCD w/Protective Glass(Included)
- LCD Brightness (500nit)
- Built-in Bluetooth
- AM/FM Radio
- Audio/Video Playback via USB (1080p video and Hi-Def audio supported)
- 4V Preamp output (Front/Rear/Sub)
- 4x 12V AUX Virtual Switches (RBX4 required, SOLD SEPARATELY)

- Exact Fit for Polaris RZR 900/1000 models (Factory pocket replacement)
- DualCast wireless dongle for COMPATIBLE Android and iOS devices (Included)

**Bluetooth®**

- Supports Hands-free Calling
- Supports A2DP Music streaming
- Supports PBA Phone Book
- Supports HID 2-Way Control via DualMirror APP for Android devices
- External Microphone (Included)

**DVR and Cameras**

- Records 2 cameras simultaneously
- Uninterrupted Recording Function (1min, 5min, 10min, 30min Selectable)
- Recording Resolution: 720p & 1080p HD
- Viewing angle: D-150, H-120 degree
- External Microphone (Included)

**Virtual Switches**

- On-Screen ON/OFF touch control
- 4x 12V@1A output lines for external lighting or optional accessories
- Requires RBX4 IP66 rated Relay Box, SOLD SEPARATELY

							
IP66	10G Vibration Test Passed	Conformal Coated PCB	UV Resistant Construction	Hardwired Full HD Dual DVR	Bluetooth®	A2DP	4V Preamp Output

**DXU1100DVR IP66 Universal 6.2" Command Center**  
*with 2-Channel DVR and Two HD Digital Cameras, Built-in Bluetooth®*



**FEATURES:**

**General**

- IP66 Rated: Protects against dust and water
- Shock Proof 10G Vibration Tested
- Conformal Coated PCB
- UV Resistant
- Hardwired Full HD 2CH DVR system (Includes 2 cameras)
- 6.2" Hi-Res TFT LCD w/Protective Glass (Included)
- LCD Brightness (500nit)
- Built-in Bluetooth
- AM/FM Radio
- Audio/Video Playback via USB (1080p video and Hi-Def audio supported)
- 5V Preamp output (Front/Rear/Sub)
- 4x 12V AUX Virtual Switches

- (RBX4 required, SOLD SEPARATELY)
- Compatible with SSKIT (Slingshot), CANAMKIT (Maverick), X3KIT (Maverick X3) kits for expanded installation
- Universal mounting bracket (Included) for custom installations

**Bluetooth®**

- Supports Hands-free Calling
- Supports A2DP Music streaming
- Supports PBA Phone Book
- External Microphone (Included)

**DVR and Cameras**

- Records 2 cameras simultaneously


- Uninterrupted Recording Function (1min, 5min, 10min, 30min Selectable)
- Recording Resolution: 720p & 1080p HD
- Viewing angle: D-150, H-120 degree
- External Microphone (Included)

**Off-Road Navigation (Optional ANBX1)**

- External Off-line GPS Navigation Ready

**Virtual Switches**

- On-Screen ON/OFF touch control
- 4x 12V@1A output lines for external lighting or optional accessories
- Requires RBX4 IP66 rated Relay Box, SOLD SEPARATELY



# ANBX1

## External Off-Road Navigation Box (Android OS)

Compatible with DXU1100DVR & DXP1001DVR



so that you can return to them later using NavAtlas Expedition's maps or its specialized location finding tools

- GPX file import/export for trails and waypoints on Android devices using NavAtlas Utilities, available on Google Play Store, is required
- Reports Navigational compass and GPS information in real-time
- Waypoint creation tools: Enter coordinates, drop a pin on the map, save your current position
- Search by map coordinates
- GPS Satellites graph and position charts
- Sunrise/Sunset time indicator
- Pairs with NAV160 Bluetooth GPS booster, available at your local NavAtlas dealer. GPS receiver is recommended in areas that have excessive interference or poor GPS reception in order to get a faster GPS lock

### FEATURES:

- Navigate with maps and tools tailored specifically for off-road use
- Record off-road trails and waypoints and share them with friends who can view on their PC, phones, or navigate to them using their own NavAtlas navigation
- Location Management System allows you to save and organize your favorite locations



SPEEDOMETER




MAIN



COMPASS



NAVIGATION GUI



SATELLITE STRENGTH



MAP MANAGER



MAP EXPLOITED



MAP OVERVIEW

# RBX4

## IP66 4 Ported Relay Box

### FEATURES:

- Dimensions: 3.8"H x 6.8"W x 1.5"D
- 4x 12V@40A relays included
- Waterproof relay box for use with any 12V lighting or accessory



**CANAMKIT**

**CANAM Installation Kit**  
 (Fits 2013-17 Maverick, 11-17 Commander)



**FEATURES:**

- Works with DXU1100DVR
- Dimension: 16.9" H x 15.3" W x 7.8" D

**X3KIT**

**CANAM X3 2 Din inatallation Kit**



**M5**

**16 Foot Replacement Cable for DVR Cameras**

**SSKIT**

**Slingshot Installation Kit**



**FEATURES:**

- Works with DXU1100DVR
- Dimension: 5.1" H x 8.2" W x 3.4" D

**NAV160**

**GPS Receiver with Bluetooth® Connectivity in IP66 Rated Case**



**FEATURES:**

- WAAS GPS receiver
- Simultaneous GPS and GLONASS reception
- Up to 10 position samples per second
- Bluetooth® connectivity to up to 5 devices
- Automatic route recording
- For Apple and Android devices
- Works with most apps that require GPS
- Built-in battery lasts up to 10 hours
- Free status tool app
- Includes a non-slip dashboard pad
- Includes 12-28VDC charging adapter



IP66

# NA81MDVR

**IP66** 8.1" Mirror Type Universal Command Center with 2 Channel DVR and HD Cameras , Built-in Off Road Navigation , Bluetooth®.

Command Center



## FEATURES:

- IP66 Rated: Protects against dust and water
- Shock Proof 10G Vibration Tested
- Conformal Coated PCB
- UV Resistant
- Hardwired Full HD 2CH DVR system (Includes 2 cameras)
- 8.1" Hi-Res TFT LCD
- LCD Brightness (800nit)
- Built-in Bluetooth
- Audio/Video Playback via USB (1080p video and Hi-Def audio supported)
- 4V Preamp output (Front/Rear/Sub)
- Dimensions: 3.9"H x 10.6"W x 2"D
- Built-in Off-Road Navigation
- Bluetooth®
  - Supports A2DP Music streaming
- DVR and Cameras
  - Records 2 cameras simultaneously
  - Uninterrupted Recording Function (1min, 5min, 10min, 30min Selectable)
  - Recording Resolution: 720p & 1080p HD
  - Viewing angle: D-150, H-120 degree



IP66



UV Resistant Construction



Hardwired Full HD Dual DVR



Bluetooth®



A2DP



4V Preamp Output

**NA30C**

**IPX6** 3" Source unit with AM/FM/WB Built-in Bluetooth®

**FEATURES:**

- Large 3" TFT multi-line full-color LCD
- AM/FM
- Weatherband
- Rear USB port for music Playback and 2.1A Charge
- Displays MP3 ID3 Tag Information
- Built-In Bluetooth (A2DP music streaming)
- AVRCP Remote Control
- ID3 Tag Display
- 3 Band Tone Control (bass, middle, treble)
- Dimension: 5" H x 5" W
- Programmable turn-on volume
- 3 Pairs of RCA preamp outputs (Front/Rear/Sub)
- 1 Pair of Rear Aux input
- Selectable EQ curves (User, Flat, Pop, Jazz, Classic, Beat, Rock)
- Rear View Camera Input
- Digital Audio Output (Coaxial)
- UV-resistant face plate and trim ring
- Conformal-coated circuit boards
- Zero current draw memory back-up to save the battery when idle.
- Low battery indicator
- IPX6 rated Waterproof



Conformal Coated PCB



UV Resistant Construction



Bluetooth®



A2DP



USB Input



2.1A USB Charging Port



## NA1BT

### IPX6 Rated Bluetooth® Controller



#### FEATURES:

- IP66 Rated
- High performance CSR 4.0 Bluetooth Solution
- Digital/Analog audio output
- EQ modes: Low/Mid/High/Flat
- LED Lighting control (For NavAtlas Speakers and Sound bars)
- 3.5mm AUX input
- 5V@1A USB charging port
- Silicone Finish with button back lights
- Surface mount, Flush mount, and Bar mount hardware included
- Suitable for 1.5", 1.75", 2" bar mounting
- Waterproof connectors
- Includes 2ft universal RCA connector, Optional D2D/A2A/D2Y cables sold separately

## NA2BT

### IPX6 Rated Switch Designed Bluetooth® Controller



#### FEATURES:

- IP66 Rated
- Dash Switch Type controller
- Dash Switch Type 3.5mm and USB Adapter
- High performance CSR 4.0 Bluetooth Solution
- Digital/Analog audio output
- EQ modes: Low/Mid/High/Flat
- LED Lighting control (For NavAtlas Speakers and Sound bars)
- 3.5mm AUX input
- 5V@1A USB charging port
- Waterproof connectors
- Includes 2ft universal RCA connector, Optional D2D/A2A/D2Y cables sold separately

## NA605BT

### 3" Full Color TFT Screen



#### FEATURES:

- Direct USB control for iPhone/iPod
- 3" Full Color TFT Screen
- Built in Bluetooth with A2DP and ID3 tag
- AM/FM RDS tuner
- Control Pandora when connected via iPhone
- IP35USB adapter included
- Built-in 600 Watt Class-D full range amplifier (55 W x 4 RMS)
- 7-channel NOAA weather band tuner
- Rear USB input with 1A charging
- Rearview Camera input(RCA)
- 4V Subwoofer preout

## BWR25

### Universal Handlebar Style Remote Control (Optional)



#### FEATURES:

- Controls the main features of a receiver: power, mode, volume, tune/track
- Compatible with all receivers equipped with a 3.5mm SWI input
- Adjustable design to fit different thickness handle bars
- Water and dust resistant
- Passive operation - no power required
- Wired connection for reliability
- Features a 3.3ft (1m) installation wire with 3.5mm connector to plug in to a SWI input on the receiver
- Compatible with the NA605BT

## DXB500DVR

**IP66** Rated 2 CH Full HD DVR  
with 2.7" TFT LCD




### FEATURES:

- IP66 Rated: Protects against dust and heavy, powerful jets of water
- Shock Proof - 10G Vibration Tested
- Conformal Coated PCB
- UV Resistant
- Universal For Motorcycle, UTV and ATV
- Compact size: 4.5" H x 3.7" W x 1" D
- Hardwired Full HD 2CH DVR with 2 Cameras
- Uninterrupted Recording DVR function (1 Min, 5 Min, 10 Min or 30 Min Selectable)
- 2 cameras record simultaneously
- Selectable 1920x1080P@30fps or 720P@60fps
- Comes with Flush Mount Kit and Handlebar Style Mounting Kit for DVR Monitor



IP66

10G Vibration  
Test PassedConformal  
Coated PCBUV Resistant  
ConstructionHardwired  
Full HD  
Dual DVR

## PTS1

Universal Smart Push To Start Kit



Push Button

Fob

### FEATURES:

- Dimensions: 2.7" H x 4.4" W x 1.1" D

#### Push to Start Smart Module

- Push Button with red LED, Interchangeable
- Works with 5V, 12V and 24V systems
- Operating temperature: -20°C to +80°C
- Locking band included for easy installation

#### Smart FOB Key

- Includes 2 FOB Keys
- CR-2032 battery
- LF Sensing Range 1m to 1.5m (3.3ft to 4.9ft)

## BMA476BT

**IP66** Rated 300W 4-Channel Amplifier with Bluetooth® Audio Streaming



### FEATURES:

- IP66 Rated: Protects against dust and heavy seas or powerful jets of water
- Shock Proof - 10G Vibration Tested
- Built-in Bluetooth with A2DP audio streaming
- 75 Watts x 4 RMS power @ 4 Ohms
- Class-D Digital
- Dimension: 3" H x 10" W x 1.5" D



IP66



10G Vibration Test Passed



Bluetooth®

## BMA475

**IP66** Rated 300W 4-Channel Amplifier



### FEATURES:

- IP66 Rated: Protects against dust and heavy seas or powerful jets of water
- Shock Proof - 10G Vibration Tested
- 75 Watts x 4 RMS power @ 4 Ohms
- Class-D Digital
- Dimension: 3" H x 10" W x 1.5" D



IP66



10G Vibration Test Passed

## BMA500M

**IP66** Class D Mono Block Amplifier



### FEATURES:

- 500Wx1ch @14.4V 100Hz into 2 Ohm RMS Power
- 250Wx1ch @14.4V 100Hz into 4 Ohm RMS Power
- Fixed Low Pass Filter
- High Quality waterproof connector and Cables



IP66



10G Vibration Test Passed

**SB235****IP66** *Passive Full-range Soundbar Speakers (pair)***FEATURES:**

- (2) 3.5" Aluminum full-range speakers and .5" tweeter per speaker
- Locking tabs to connect both speakers together
- 100 Watts RMS (per speaker)
- Bar mounting clamps included
- Water Proof and Dust Proof (IP66 Rated)
- Dimension: 4.2" H x 10.9" W x 3" D



IP66

10G Vibration  
Test Passed**NS14A***14" Soundbar  
with built-in 100Watt Class D amplifier  
(Compatible with NA1BT, NA2BT and NA81MDVR)***FEATURES:**

- All-terrain System
- IP66-rated(waterproof/dustproof)
- 100W RMS Full-range Class-D Amplifier
- (2) 3.5" Midrange Speakers (2) 0.5" Horn-loaded Tweeters
- Aluminum Enclosure with Internal H.D.S.(Heat Dissipation System)
- Analog/Digital Inputs(Compatible with NA1BT using D2D or A2A cable, SOLD SEPARATELY)
- Analog/Digital Outputs(D2D or A2A cables required, SOLD SEPARATELY) for 'Daisy Chain' configuration.
- Audio Signal Sensing Turn-on
- UV Coated Enclosure
- Aluminum Mounting Bracket
- Blue LED
- Low Standby Current/AUTO Shutoff
- Analog RCA Input
- Fits Bars with Diameters (1.5"~2")



IP66

10G Vibration  
Test Passed

## NS27A

**27" Soundbar**  
**with built-in 200Watt Class D amplifier**  
**(Compatible with NA1BT, NA2BT and NA81MDVR)**



### FEATURES:

- All-terrain System
- IP66-rated(waterproof/dustproof)
- 200w RMS Full-range Class-D Amplifier
- (6) 3.5" Midrange Speakers  
(4) 0.5" Horn-loaded Tweeters
- Aluminum Enclosure with Internal H.D.S. (Heat Dissipation System)
- Analog/Digital Inputs(Compatible with NA1BT using D2D or A2A cable, SOLD SEPARATELY)
- Analog/Digital Outputs(D2D or A2A cables required, SOLD SEPARATELY) for "Daisy Chain" configuration.
- Audio Signal Sensing Turn-on
- UV Coated Enclosure
- Aluminum Mounting Bracket
- Blue LED
- Low Standby Current/AUTO Shutoff
- Analog RCA Input
- Fits Bars with Diameters (1.5"~2")



IP66



10G Vibration  
Test Passed

## NS35A

**35" Soundbar**  
**with built-in 200Watt Class D amplifier**  
**(Compatible with NA1BT, NA2BT and NA81MDVR)**



### FEATURES:

- All-terrain System
- IP66-rated(waterproof/dustproof)
- 200w RMS Full-range Class-D Amplifier
- (8) 3.5" Midrange Speakers (4) 0.5" Horn-loaded Tweeters
- Aluminum Enclosure with Internal H.D.S.(Heat Dissipation System)
- Analog/Digital Inputs(Compatible with NA1BT using D2D or A2A cable, SOLD SEPARATELY)
- Analog/Digital Outputs(D2D or A2A cables required, SOLD SEPARATELY) for "Daisy Chain" configuration.
- Audio Signal Sensing Turn-on
- UV Coated Enclosure
- Aluminum Mounting Bracket
- Blue LED
- Low Standby Current/AUTO Shutoff
- Analog RCA Input
- Fits Bars with Diameters (1.5"~2")



IP66



10G Vibration  
Test Passed

**NT650AT**

**6.5" Amplified Roll-Cage Speakers (pair)**  
*(Compatible with NA1BT, NA2BT and NA81MDVR)*



**FEATURES:**

- Built-in 100W Amplifier with IMPP Woofer Cone
- 1" Aluminum Horn Tweeter
- ABS Impact Resistant Grill and Enclosure with UV Coating
- Built-in Blue LED
- Digital Coaxial Input (Compatible with NA1BT using D2D Cable, SOLD SEPARATELY)
- Analog RCA Input
- Audio Signal Sensing Turn-on
- Low Standby Current/AUTO Shutoff
- Fits Bars with Diameters (1.5"~2")

**N652L**

**Passive 6.5" 2 Way Speaker with Blue Led Lighting (Pair)**



**FEATURES:**

- 6.5" Full Range speaker IP66
- 200Watts RMS(per speaker)
- Built-in LED
- IMPP cone with 1" aluminum tweeter



IP66

**D2D**

**Digital to Digital 10 Feet Din Cable**

**A2A**

**Analog to Analog Din 10 Foot Din Cable**

**D2Y**

**Digital Y Din Jack (One in Two Out)**

**UAD10**

**Universal Analog/Digital 10FOOT Din to RCA Cable**

## **NT308W**

### **8" Passive Roll-Cage Subwoofer(Pair)**



## **NX310WA**

### **IP66 10" CANAM X3 Underseat Subwoofer box Built-in 500 Watts Amplifier (Driver Side) (Compatible with NA1BT, NA2BT and NA81MDVR)**



## **NX310WP**

### **10" CANAM X3 Underseat Passive Subwoofer box (Passenger Side)**



#### **FEATURES:**

- Universal Bar Mount Installation with Adjustable Hinge
- UV-resistant ABS Plastic Enclosure
- IPX5 water resistance
- IMPP Black Cone
- Butyl Rubber Surround
- Peak Power 400 Watts/ RMS 200 Watts
- Impedance: 4 Ohm
- Frequency Response: 60Hz - 500 Hz
- Sensitivity: 85dB

#### **FEATURES:**

- 10" Enclosure Subwoofer Box Built-in 250 watts Amplifier
- Optional RMS 250 Watts Speaker Output for NX310WP
- Subwoofer Peak Power: 400 Watts
- IPX5 Water Resistance
- Subwoofer in Enclosure Integral Moulded Plastic Box for Vehicle Specific Canam X3
- Wired Bass Knob Controller
- Analog/Digital (Coaxial) Input & Output
- Audio Signal Sensing Turn On System Built-in
- Output Required Optional Cable


#### **FEATURES:**

- 10" Passive Subwoofer in Enclosure Integral Moulded Plastic Box for Vehicle Specific Canam X3
- IPX5 Water Resistance
- Subwoofer Peak Power: 400 Watts

# INSTALLATION WIRE DIAGRAM FOR DIGITAL TO DIGITAL AUDIO SYSTEM


## EXAMPLE OF DAISY CHAIN CONFIGURATIONS FOR ANY VEHICLE

\*OPTIONAL ACCESSORIES ARE D2Y AND D2D CABLES (SOLD SEPARATELY)



## EXAMPLE OF DAISY CHAIN CONFIGURATIONS FOR CAN-AM X3 VEHICLE

\*OPTIONAL ACCESSORIES ARE D2Y AND D2D CABLES (SOLD SEPARATELY)







**NavAtlas**

**INTERCOM & RADIO**

## NNT20

### 2-4 Users Intercom



#### FEATURES:

- High Fidelity Stereo Sound for Smart Phone or other Music Source
- VOX(Voice Activation)
- Separate Front Inputs for Music & Smart Phone
- Ready for Car to Car Radio or Handheld Radio
- Audio Output
- 2 Front Headphone inputs (Front of Unit)
- 2 Rear Headphone Inputs (Back of Unit)
- RF Shield Housing
- High Level Output for Headphones for Sound Quality
- Dimensions: 1.6" H x 4.5" W x 4.3" D

## NNT10

### Compact 2-4 Users Intercom



#### FEATURES:

- High Fidelity Stereo Sound for Smart Phone or other Music Source
- VOX(Voice Activation)
- Separate Front Inputs for Music & Smart Phone
- Ready for Car to Car Radio or Handheld Radio
- Audio Output
- 2 Front Headphone inputs (Front of Unit)
- 2 Rear Headphone inputs (Back of Unit)
- RF Shield Housing
- High Level Output for better Sound Quality Music

## **NIO230PK**

**2-4 Users Intercom with  
(2) Headphones**



## **NIB220PK**

**2-4 Users Intercom with  
(2) Headphones**



## **NIH210PK**

**2-4 Users Intercom with  
(2) Headphones**



### **FEATURES:**

**NNT20 Car to Car Radio size 2-4 person Intercom**

- High Fidelity Stereo Sound for Smart Phone or other Music Sources
- VOX(Voice Activation)
- Separate Front Inputs for Music & Smart Phone
- Ready for Car to Car Radio or Handheld Radio
- Audio Output
- 2 Front Headphone inputs (Front of Unit)
- 2 Rear Headphone Inputs (Back of Unit)
- RF Shield Housing
- High Output for Headphones for better Stereo Music

**N0300 Over The Head Headset**

- Noise Cancellation Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Extra Padded Head strap
- Compatible with HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

### **FEATURES:**

**NNT20 Car to Car Radio size 2-4 person Intercom**

**NB200 Over The Head Headset**

- Noise Cancellation Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Extra Padded Head strap
- Compatible with HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

### **FEATURES:**

**NNT20 Car to Car Radio size 2-4 person Intercom**

**NH100 Off-Road Helmit Kit**

- Noise Cancellation Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Compatible HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

## **NI0130PK**

**Compact 2-4 Users Intercom with  
(2) Headsets**



## **NIB120PK**

**Compact 2-4 Users Intercom with  
(2) Headsets**



## **NIH110PK**

**Compact 2-4 Users Intercom with  
(2) Headsets**



### **FEATURES:**

**NNT10 Small Foot Print 2-4 person Intercom**

- High Fidelity Stereo Sound for Smart Phone or other Music Sources
- VOX(Voice Activation)
- Separate Front Inputs for Music & Smart Phone
- Ready for Car to Car Radio or Handheld Radio
- Audio Output
- 2 Front Headphone inputs (Front of Unit)
- 2 Rear Headphone inputs (Back of Unit)
- RF Shield Housing
- High Output for Headphones for better Stereo Music

**NO300 Over The Head Headset**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Extra Padded Head strap
- Compatible HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

### **FEATURES:**

**NNT10 Small Footprint 2-4 person Intercom NB200 Behind The Head Headset**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Compatible HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

### **FEATURES:**

**NNT10 Small Foot Print 2-4 person Intercom**

**NH100 Off-Road Helmit Kit**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers(Stereo)
- Flexible Position Mic for VOX (Voice Act vation)
- Compatible with HCF4, HCR16 and HEC10 to extend

**2ea HCF4 4Ft 5 pin coil type proprietary stereo cables**

**NH100****Off-Road Helmet Style Headset****FEATURES:**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Compatible with HCF4, HCR16 and HEC10 to extend (Cables sold Separately)

**NB200****Behind the Head Style Headset****FEATURES:**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Compatible with HCF4, HCR16 and HEC10 to extend (cable sold separately)
- Comfortable Ear pad

**NO300****Over the Head Style Headset****FEATURES:**

- Noise Cancelling Smart Mic
- High Fidelity Bass Enhanced Speakers (Stereo)
- Flexible Position Mic for VOX (Voice Activation)
- Easy to use Large Volume Control Knob
- Carbon Fiber Finish
- Deluxe Ear pads
- Extra Padded Head strap
- Compatible with HCF4, HCR16 and HEC10 to extend (cable sold separately)

**HCF4**

*4-Foot Coil Type Headset Cable For Front Seat user*



**HEC10**

*10 Feet Headset Extension Cable*



**PSC41**

*Push to talk 4Foot Cable (Coil type)*



**RTi100**

*Handheld Radio to Intercom Cable*



**RTi300**

*NHR1 (NavAtlas Handheld Radio) to Intercom Cable*



**HCR16**

*16-Foot Headset Cable for Rear Seat User*



**RTA3**

*RCA Audio to Intercom Aux Input Cable (3Foot)*



**STi3**

*3.5mm to 3.5mm Smartphone to Intercom Cable (3Foot)*



**RTi200**

*Handheld Radio to Intercom Cable*



**RTi400**

*NCR2 (NavAtlas Car to Car Radio) to Intercom Cable*



# NHR1

## Handheld Dual Band Radio



### FEATURES:

- Reverse Frequency Function
- 8 Groups of Voice Scramble
- Voice Comband Function
- DTMF selective Calling
- Multi Display Mode
- 2x128 Channels to Store
- Voice Prompt Function
- Band A/B Independent Operation
- Scan Frequencies with CTCSS/DCS
- SOS Emergency Function
- Hands Free VOX Function
- Voice Commanf Function
- FM Radio Receiver
- Multi Keypad Lock Mode

# NCR2

## IP67 Rated Car to Car Dual Band Radio



### FEATURES:

- High Quality radio to Ensure Stable and Durable Operation
- 1750/2100/1000/1450 Tone
- Automatic Power Off
- 200 Programmable Memorized Channels, Identified by editing name
- Programming different CTCSS, DCS, 2Tone, 5Tone in Per Channel, Rejecting Extra Calling from Other Radio
- Five Programmable Multi-functional Keys, can Set Various Short cut Operation According to Different Requirement
- Frequency VHF: 136-174MHz(25 W) UHF: 400 (20W)
- Dimensions: 4.213x4.921x1.772 inches